

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1424934	(input\$5 with (signal or color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:40
S3	413	S1 and (((generat\$5 or determin\$5 or produc\$5 or creat\$5) near5 (combination) with (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:40
S9	19	S1 and (((generat\$5 or determin\$5 or produc\$5 or creat\$5) near5 (combination) with (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) same ((select\$5 or choos\$5 or designat\$5) near5 combination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:52
S10	3	S1 and (((generat\$5 or determin\$5 or produc\$5 or creat\$5) near5 (combination) with (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((total or cumulative) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (smooth\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:01
S11	14	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (combination) with (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((total or cumulative) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:09
S12	16	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((total or cumulative) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function)) and ((plural\$5 or combination) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:15
S14	0	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((variable) near3 (total or cumulative) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:17
S15	8	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((total or cumulative) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function or depend\$3) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:20
S16	9	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((total or cumulative) near3 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function or depend\$3 or relat\$5) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:24
S17	13	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color adj2 material) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) and (((total or cumulative) near3 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function or depend\$3 or relat\$5) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:38
S18	2	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (match\$5 or correspond\$5 or accord\$5) with (total or cumulative or aggregate)) and (((total or cumulative or aggregate) near3 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (function or depend\$3 or relat\$5) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:32

EAST Search History

S19	70	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (match\$5 or correspond\$5 or accord\$5) with (total or cumulative or aggregate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:33
S20	9	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (match\$5 or correspond\$5 or accord\$5) with (total or cumulative or aggregate)) same ((plural\$5 or combination) near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:36
S21	1351	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) same ((plural\$5 or combination) near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with input\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:17
S22	6136	358/1.9,3.23,515,523,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:23
S23	1542	345/593,600-604.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:37
S24	323	S21 and (S22 or S23)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:37
S30	4	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 combination near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) same ((total or cumulative) near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (limit\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:54
S31	14	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 combination near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) same (combination near5 (total or cumulative) near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:57
S32	1	S1 and (((determin\$5 or select\$5 or choos\$5 or designat\$5) near5 combination near4 (colorant or coloring or (color) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))) same (combination near5 (total or cumulative))) and ((total or cumulative) near4 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:57
S33	1	"627657".ap. and meet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:11
S34	28	((plural\$5) near4 combination near4 (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:20
S35	3	((plural\$5) near4 combination near4 (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:23
S36	66	((plural\$5) near4 (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:35

EAST Search History

S37	6	S36 and ((total or aggregate) near4 (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:27
S38	7	S36 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (satisf\$7 or meet\$3 or agree\$5 or accord\$5 or correspond\$5 or intersect\$5 or equal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:37
S39	109	((plural\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:46
S40	12	S39 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (satisf\$7 or meet\$3 or agree\$5 or accord\$5 or correspond\$5 or intersect\$5 or equal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:53
S42	2149	((plural\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 09:46
S43	7	S42 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 combination near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (satisf\$7 or meet\$3 or agree\$5 or accord\$5 or correspond\$5 or intersect\$5 or equal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:07
S46	123	S42 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (satisf\$7 or meet\$3 or agree\$5 or accord\$5 or correspond\$5 or intersect\$5 or equal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:46
S47	6148	358/1.9,3.23,515,523,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:08
S48	1542	345/593,600-604.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:08
S49	48	S46 and (S47 or S48)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:50
S50	6	S42 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (satisf\$7 or meet\$3 or agree\$5 or accord\$5 or correspond\$5 or intersect\$5 or equal\$5) with total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:49
S51	39	S42 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 12:56
S52	16	S51 and (S47 or S48)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 11:11

EAST Search History

S53	1	"627657".ap. and "s405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 11:14
S54	1	"627657".ap. and "s404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 11:14
S55	2149	((plural\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:14
S56	14	S55 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (match\$5 or equal or equival\$5 or meet\$5 or intersect\$5) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:00
S57	15	S55 and ((select\$5 or choos\$5 or designat\$5 or determin\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (optimal or optimi\$7 or match\$5 or equal or equival\$5 or meet\$5 or intersect\$5) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:04
S60	2198	((plural\$5 or combination or combo) with (select\$6 or choos\$5 or designat\$5 or map\$5) with (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:10
S61	2	S60 and ((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function with (smooth\$5 or continuous\$5 or linear\$5 or curve))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:16
S62	5	((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function with (smooth\$5 or continuous\$5 or linear\$5 or curve))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:19
S63	5	((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function with (input\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:21
S64	33	((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:22
S65	9	((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function) same ((select\$5 or choos\$5 or designat\$5 or find\$5 or output\$5) near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:23
S66	7	((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function) same ((select\$5 or choos\$5 or designat\$5 or find\$5 or output\$5) near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:24
S67	7	((total near3 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function) same ((select\$5 or choos\$5 or designat\$5 or find\$5 or output\$5) near3 (combination or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:27

EAST Search History

S68	8	((total near3 (ink or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function) same ((select\$5 or choos\$5 or designat\$5 or find\$5 or output\$5) near3 (combination or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:31
S69	10	((total near3 (ink or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function) and ((select\$5 or choos\$5 or designat\$5 or find\$5 or output\$5) near3 (combination or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with function) and (function near4 (smooth\$5 or continuous\$5 or uniform\$5 or linear\$5 or quadratic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:34
S70	15	((total near3 (ink or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with function) and ((select\$5 or choos\$5 or designat\$5 or find\$5 or output\$5) near3 (combination or ink or colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with function) and (function near4 (smooth\$5 or continuous\$5 or uniform\$5 or linear\$5 or quadratic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:48
S71	5	"627657".ap. and limit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:51
S72	0	"6637849".pn. and bleed\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:51
S73	0	"6637849".pn. and overfl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:51
S74	0	"6637849".pn. and excess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 15:08
S75	2	"6637849".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 15:14
S76	29	S55 and (((colorant or (coloring adj2 (material))) with (light adj2 cyan)) and (((colorant or (coloring adj2 (material))) with (light adj2 magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:32
S77	9	S55 and (((colorant or (coloring adj2 (material))) with (light adj2 cyan)) and (((colorant or (coloring adj2 (material))) with (light adj2 magenta)))) and ((colorant or (coloring adj2 (material))) same toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:21
S78	10	S55 and (((colorant or (coloring adj2 (material))) with (light adj2 cyan)) and (((colorant or (coloring adj2 (material))) with (light adj2 magenta)))) and (toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:22
S79	2	S55 and (((concentration) same (light adj2 cyan)) and (((concentration) \same (light adj2 magenta)))) and (toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:23

EAST Search History

S80	2	S55 and (((concentration) same (light adj2 cyan)) and (((concentration) same (light adj2 magenta)))) and (toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:23
S81	5	S55 and (((concentration) same (light adj2 cyan)) and (((concentration) same (light adj2 magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:24
S82	129	S55 and (((light adj2 cyan)) and (((light adj2 magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:28
S83	15	S55 and ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (light adj2 cyan)) and ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (light adj2 magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:29
S84	0	gondek.in. and lcm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:30
S85	35	gondek.in. and color.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:30
S86	289	S55 and ((colorant or (coloring adj2 (material))) with toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:33
S87	224	S55 and ((colorant or (coloring adj2 (material))) near3 toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:33
S88	22	S55 and (((coloring adj2 (material))) near3 toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:35
S89	21	358/1.9.ccls. and (((coloring adj2 (material))) near3 toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:42
S90	2	"5982990".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:30
S91	0	"5982990".pn. and toner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:30
S92	2154	((plural\$5) near4 (colorant or (coloring adj2 (material or ink)) or ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:35

EAST Search History

S93	22	S92 and (((coloring adj2 (material)))) near3 toner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:57
S94	1	"6637849".pn. and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:58
S95	1	"6637849".pn. and input\$5 same smooth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:59
S96	0	"6637849".pn. and display\$5 same smooth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:59
S97	0	"6637849".pn. and display\$5 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:59
S98	1	"6637849".pn. and display\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:01
S99	178	((smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5)))) with (total near3 (colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:14
S10 0	4	S99 and ((smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5)))) same (user with input\$5) same display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:07
S10 1	2	"6637849".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:08
S10 2	26	((correct\$5 or adjust\$5 or smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5)))) with function with ((cumulative or total or aggregate) near3 (colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:15
S10 3	0	((correct\$5 or adjust\$5 or smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5)))) with function with ((cumulative or total or aggregate) near3 (colorant or coloring or ink or toner))) same display\$5 same (input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:16
S10 4	6	((correct\$5 or adjust\$5 or smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5)))) with ((cumulative or total or aggregate) near3 (colorant or coloring or ink or toner))) same display\$5 same (input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:16
S10 5	17	((correct\$5 or adjust\$5 or smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5)))) with ((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner))) same display\$5 same (input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:19

EAST Search History

S10 6	41	((correct\$5 or adjust\$5 or smooth\$5 or enhanc\$5 or ((noise or kink or jump) near3 (remov\$5 or suppress\$5 or reduc\$5 or flat\$5))) same ((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner))) same display\$5 same (input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:23
S10 7	94	((((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner)) with display\$5) same (input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:24
S10 8	6	((((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner)) with display\$5) same ((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (cumulative or total or aggregate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:26
S10 9	7	((((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner)) with display\$5) same ((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (color or colorant or coloring or ink or toner))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:28
S11 0	90	((((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner)) with display\$5) and ((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (color or colorant or coloring or ink or toner))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:28
S11 1	28	((((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner)) with display\$5) and (((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (color or colorant or coloring or ink or toner)) same (cumulative or total or aggregate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:30
S11 2	90	((((cumulative or total or aggregate) near3 (color or colorant or coloring or ink or toner)) with display\$5) and (((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (color or colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:36
S11 3	2	"627657".ap. and smooth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:32
S11 4	506	((((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with display\$5) and (((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (amount or quantity or volume or color or colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:40
S11 5	184	((((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with display\$5) and (((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (amount or quantity or volume) with (color or colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:56
S11 6	49	S115 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:41
S11 7	9	((total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with display\$5) and (((input\$5 or interfac\$5) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (amount or quantity or volume) with (color or colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:59
S11 8	15	((total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with display\$5) and (((input\$5 or interfac\$5) same (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) same (amount or quantity or volume) same (color or colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:02

EAST Search History

S11 9	3	((total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with function) and (display\$5 with function) and (((input\$5 or interfac\$5) same (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) same function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 08:50
S12 0	184	(((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with function) and (display\$5 with function) and (((input\$5 or interfac\$5) same (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) same function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:04
S12 1	134	(((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with function) and (display\$5 with function) and (((input\$5 or interfac\$5) same (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:07
S12 2	19	(((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with function) same (display\$5 with function) and (((input\$5 or interfac\$5) same (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:10
S12 3	6	(((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with (variation or var\$5 or relationship or depend\$5 or function) with input\$5) same (display\$5 with (variation or var\$5 or relationship or depend\$5 or function)) and (((input\$5 or interfac\$5 or specif\$7) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (point or location or area or region)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:15
S12 4	59	(((amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with (variation or var\$5 or relationship or depend\$5 or function)) same (display\$5 with (variation or var\$5 or relationship or depend\$5 or function)) and (((input\$5 or interfac\$5 or specif\$7) with (adjust\$5 or correct\$5 or modif\$7 or limit\$5 or smooth\$5) with (point or location or area or region)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:22
S12 5	2	"6637849".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:21
S12 6	11	((total near4 (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)) with (variation or var\$5 or relationship or depend\$5 or function)) same (display\$5 with (variation or var\$5 or relationship or depend\$5 or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:25
S12 7	81	((total near3 (color or colorant or coloring or ink or toner)) with (variation or var\$5 or relationship or depend\$5 or function)) same (display\$5 with (variation or var\$5 or relationship or depend\$5 or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:28
S12 8	776	((total near3 (color or colorant or coloring or ink or toner)) with (display\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:28
S12 9	18	((total near3 (color or colorant or coloring or ink or toner)) with (display\$5)) and (total with (ymck or cmyk or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:32
S13 0	26	((total near3 (color or colorant or coloring or ink or toner)) with (display\$5 or monitor or screen)) and (total with (ymck or cmyk or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:33
S13 1	33	((total near3 (color or colorant or coloring or ink or toner)) with (display\$5 or monitor or screen)) and (total same (ymck or cmyk or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:35

EAST Search History

S13 2	33	((total near3 (volume or color or colorant or coloring or ink or toner)) with (display\$5 or monitor or screen)) and (total same (ymck or cmyk or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:35
S13 3	74727	(input\$5 with (color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:40
S13 4	10	S133 and ((determin\$5) near5 (combination) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:45
S13 5	4	S134 and ((select\$5 or choos\$5 or designat\$5) near5 combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:46
S13 6	23	S133 and ((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (combination) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:48
S13 7	6	S136 and ((select\$5 or choos\$5 or designat\$5) near5 combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:46
S13 8	0	S133 and ((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (plurality near3 (allow\$5 or possible or equival\$5)) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:49
S13 9	2	S133 and ((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (plurality near3 (allow\$5 or possible or equival\$5)) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:51
S14 0	10	"6,532,081".pn. "6,636,628".pn. "6,773,175".pn. "7,054,033".pn. "7,019,868".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:04
S14 1	0	S140 and ((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (plurality near3 (allow\$5 or possible or equival\$5)) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:54
S14 2	0	S140 and ((plurality near3 (allow\$5 or possible or equival\$5)) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:52
S14 3	1	S140 and (plurality with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:52
S14 4	202	((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (possible) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:55

EAST Search History

S14 5	24	((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (possible) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:57
S14 6	0	((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (allowable) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:58
S14 7	22	((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (correspond\$5) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:58
S14 8	23	((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (correspond\$5 or valid) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:58
S14 9	45	((determin\$5 or calculat\$5 or generat\$5 or produc\$5) near5 (correspond\$5 or valid or combination) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:09
S15 0	24	S149 and ((select\$5 or choos\$5 or designat\$5) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:59
S15 1	9	S149 and ((select\$5 or choos\$5 or designat\$5) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m))) and (total with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:59
S15 2	24	("20030020937" "4275413" "4477833" "4482917" "4551751" "4590515" "5172223" "5268754" "5305119" "5402253" "5425134" "5438649" "5502579" "5508827" "5528377" "5528386" "5539540" "5553199" "5581376" "5710824" "5768410" "5982990" "6466332" "6611356"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/24 18:08
S15 3	13	S152 and ((combination) with (ymck or cmyk or ymc or cmy or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:15
S15 4	3	"5121196".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:24
S15 5	2	couwenhoven and menberu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:24
S15 6	2	"5633662".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:24
S15 7	488	((calculat\$5 or determin\$5 or computed or computing) near5 (total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 08:51

EAST Search History

S15 8	492	((calculat\$5 or determin\$5 or computed or computing) near5 (total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner or cmyk or ymck or (y near3 c near3 m))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:35
S15 9	133	((calculat\$5 or determin\$5 or computed or computing) near5 (total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner or cmyk or ymck or (y near3 c near3 m)))) and ((color or colorant or coloring or ink or toner) same (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 08:53
S16 0	44	((calculat\$5 or determin\$5 or computed or computing) near5 (total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner or cmyk or ymck or (y near3 c near3 m)))) and ((color or colorant or coloring or ink or toner) same (cmyk or ymck or (y near3 c near3 m))) and (combination with (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 08:58
S16 1	17	((calculat\$5 or determin\$5 or computed or computing) near5 (total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner or cmyk or ymck or (y near3 c near3 m)))) same (combination with (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:00
S16 2	12	((calculat\$5 or determin\$5 or computed or computing) near5 (total\$5 with (amount or quantity or volume) near3 (color or colorant or coloring or ink or toner or cmyk or ymck or (y near3 c near3 m)))) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:01
S16 3	4	((select\$5 or choos\$5) with (cmyk or ymck or (y near3 c near3 m)) with (less or lower or smaller or meet\$5 or satisf\$7) with (threshold or limit or total)) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:05
S16 4	1	((select\$5 or choos\$5) with (cmyk or ymck or (y near3 c near3 m)) with (threshold or limit or total)) same (input\$5 with (possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:06
S16 5	5	((select\$5 or choos\$5) with (cmyk or ymck or (y near3 c near3 m)) with (threshold or limit or total)) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:07
S16 6	2	((compar\$5) with (cmyk or ymck or (y near3 c near3 m)) with (threshold or limit or total)) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:07
S16 7	0	((compar\$5) with (total) with (threshold or limit)) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:08
S16 8	5	((total) with (threshold or limit)) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:09
S16 9	227	((select\$5 or choos\$5) same ((possible or plural\$5 or combination) near3 (cmyk or ymck or (y near3 c near3 m))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:10
S17 2	3	((calculat\$5 or determin\$5 or computed or computing) near5 total\$5 with (amount or quantity or volume) near3 (cmyk or ymck or (y near3 c near3 m)) with combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:56

EAST Search History

S17 3	0	"6637849".pn. and combination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 09:59
S17 4	271	input\$5 with (plural\$5 or combination) with (cmyk or ymck or (y near3 c near3 m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:00
S17 5	2	(input\$5 with (plural\$5 or combination) with (cmyk or ymck or (y near3 c near3 m))) same (output\$5 with (total) with (cmyk or ymck or (y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:02
S17 6	1	"6480299".pn. and total	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:03
S17 7	1	"6480299".pn. and total with ink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:03

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6637849".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:25
L2	0	disaplay\$5 near5 (color near3 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:26
L3	0	disaplay\$5 near5 ((ink or colorant or coloring) near3 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:28
L4	0	(disaplay\$5 near5 (function)) same (function with (color\$5 or ink))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:27
L5	0	(disaplay\$5 near5 ((ink or color\$5) near3 total))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:27
L6	126	display\$5 near5 ((ink or colorant or coloring) near3 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:28
L7	0	display\$5 near5 ((ink or colorant or coloring) near3 function) same ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:30
L8	1	display\$5 near5 ((ink or colorant or coloring) near3 function) and ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:30
L9	148	display\$5 near5 ((ink or colorant or coloring or color) near3 function) and ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:31
L10	20	display\$5 near5 ((ink or colorant or coloring or color) near3 function) same ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:35
L11	0	display\$5 near5 ((ink or colorant or coloring or color) near3 total) same ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:36
L12	10	display\$5 near5 ((ink or colorant or coloring or color) near3 total) and ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (total or parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:37
L13	10	(screen or monitor or display\$5 or crt) near5 ((ink or colorant or coloring or color) near3 total) and ((user or operator) near3 (input\$5 or enter\$5 or sett\$5 or adjust\$5 or correct\$5) near5 (total or parameter or function or coefficient or constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:38

EAST Search History

L15	41	(screen or monitor or display\$5 or crt) near5 ((ink or colorant or coloring or color) near3 total) same ((user or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:41
L16	18	(display\$5) near5 (smooth\$5 near3 function) same ((user or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:42
L17	218	(display\$5) near5 (function) same ((user or operator)) same smooth\$5.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:42
L18	11	(display\$5) near5 (function) same ((user or operator)) same smooth\$5 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:44
L19	0	(display\$5) near5 (color adj2 (data or information)) same ((user or operator)) same smooth\$5 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:44
L20	0	(display\$5) near5 (color adj2 (statistics or data or information)) same ((user or operator)) same smooth\$5 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:44
L21	9	(display\$5) near5 (color adj2 (statistics or data or information)) same ((user or operator)) same smooth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:45
L22	140	((user or operator)) with (input\$5 or enter\$5 or adjust\$5 or correct\$5) with smooth\$5 with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:47
L23	52	22 and display\$5 with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:46
L24	11	((user or operator)) with (input\$5 or enter\$5 or adjust\$5 or correct\$5) with (parameter or coefficient) with quadrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:51
L25	367	((user or operator)) with (input\$5 or enter\$5 or adjust\$5 or correct\$5) with (smoothing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:52
L26	91	25 and (display\$5 with smooth\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:52
L27	22	25 and (display\$5 with smooth\$5) and (smooth\$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:11

EAST Search History

L28	1	"7102785".pn. and display\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:05
L29	0	25 and (display\$5 with (total adj2 color\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:11
L30	255	(display\$5 with (total adj2 color\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:11
L31	13	(display\$5 with (total adj2 color\$5)) and (color with (ymck or cmyk or (Y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:34
L32	23	(display\$5 with (total adj2 (ink or color\$5))) and (color with (ymck or cmyk or (Y near3 c near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:23
L33	2	"6480299".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:23
L34	2	"5982990".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:37
L35	2	"6577826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:50
L36	1	"20040085326".pn. and total	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 18:51
L37	1	"20040085326".pn. and total and smooth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 19:04
L38	2	"6577826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 19:04
S1	78	(smooth\$5 with function with (user or operator) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:02
S2	6	S1 and (color\$5 with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 17:23

EAST Search History

S3	0	(smooth\$5 with (color\$5 near3 (amount or volume or total)) with (user or operator) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:03
S4	18	(correct\$5 with (color\$5 near3 (amount or volume or total)) with (user or operator) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:12
S5	1	(correct\$5 with (total near3 color\$5 near3 (amount or volume or total)) with (user or operator) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:13
S6	1	(correct\$5 with (total near3 (ink or color\$5) near3 (amount or volume or total)) with (user or operator) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:13
S7	1	((smooth\$5 or adjust\$5 or lineariz\$5 or correct\$5) with (total near3 (ink or color\$5) near3 (amount or volume or total)) with (user or operator) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:14
S8	4	((smooth\$5 or adjust\$5 or lineariz\$5 or correct\$5) with (total near3 (ink or color\$5) near3 (amount or volume or total)) same ((user or operator) with (enter\$5 or interfac\$5 or input\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:16
S9	43	((smooth\$5 or adjust\$5 or lineariz\$5 or correct\$5) with ((ink) near3 (amount or volume or total)) same ((user or operator) with (enter\$5 or interfac\$5 or input\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 12:02
S10	1	"6859291".pn. and (host with operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:57
S11	5	((smooth\$5 or adjust\$5 or lineariz\$5 or correct\$5) with ((ink) near3 (amount or volume or total)) same ((user or operator) with (adjust\$5 or modif\$7 or sett\$5) with (parameter or option)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 12:04